

SINGLE ORCHARD ECO



Tool-carrier with hydraulic widening

Available in version with rear or front three point couplings (**front only for model 2**)

Power take-off central with cardan

Predisposition for the application of traction utensils with PATENTED NON-STOP VALVE

Kit including multiplier single pump, hoses, filters, tank and oil

Single heat exchanger with double thermostat

2-channel electronic control unit with general alarm

85 - 65 - 55 cm (to specify during the order) RH side inter-row blade with electrohydraulic joystick for manual emergency blade return

LH mechanical wheel for depth adjustment and side stability control

RH mechanical and toothed wheel for depth adjustment and side stability control

RH 40 cm lateral hydraulic widening with 2 quick tractor couplings

Hydraulic lateral widening with parallelogram system with 2 quick coupling to the tractor, to be able to work with the inter row utensils from 120 to 300 cms , to the center of the tractor - **(only vers. 2 with flow diverter system to control 2 double effect cylinders SEPARATELY with only 2 quick tractor couplings)**

Hydraulic tool inclination with quick 2 tractor couplings

Model




CODE



Kg.

Frutteto singolo ECO 1	1273	70 - 80	180	20	370
Frutteto singolo ECO 2	1274	70 - 80	180	20	415



Optional

- CODE 1158 - Button for immediate RH rotary brush / mower head wire rotation stop (applicable only during the order)
- CODE 1052 - RH button for feeler pin deactivation to work with the utensil in the tall grass, to avoid that the feeler pin goes back in when is not necessary (applicable only during the order)
- CODE 1147 - RH hydraulic wheel adjustment with 2 quick tractor couplings
- CODE 0942 - Blade with clod breaker, fin and feeler pin cm 55 (additionally to the standard blade)
- CODE 0695 - Blade with clod breaker, fin and feeler pin cm 65 (additionally to standard blade)
- CODE 1245 - RH ground cover for orchard with delimiter disc (only for Frutteto rear version)
- CODE 1279 - RH 4 kit disks non-traction non-driving toothed disks complete with adapter on fixed arm
- CODE 1282 - RH 5 kit disks non-traction non-driving toothed disks complete with adapter on fixed arm
- CODE 1253 - RH vertical wires mower with adapter for orchard versions, hydraulic tipping and auto-return in shape system with 2 quick tractor couplings
- CODE 0718 - RH traction mini-shredder head (without patented valves requires application CODE 1341)
- CODE 0720 - RH traction mower head with blades or strings diam. 500 (without patented valves requires application CODE 1341)
- CODE 1318 - 2th RH traction mower head with blades or wires diam. 500 with adapter on fixed arm
- CODE 1043 - RH traction rotary plant lifter with 4 shedding fins diam. 500 to eliminate the soil accumulation in the inter-row

- CODE 1035 - RH traction 4-hoes hydraulic circular cutter diam. 500

- CODE 1302 - 2th RH traction 4-hoes hydraulic circular cutter 500 diam. with adapter for assembling on fixed arm and kit sequence valves (only when ordering)

- CODE 1093 - RH kit to transform the cutter in rotary plant lifter diam. 500 to 4 fins

- CODE 1095 - RH kit to transform the rotary plant lifter in cutter diam. 500 to 4 hoes

- CODE 0717 - RH traction disk set with 3 plant lifting disks diam. 36 cm

- CODE 1276 - RH traction 36 cm diam. 4-lifting disc

- CODE 1316 - RH traction 36 cm diam. 5-lifting disc

[Print this page](#)