AR30PROP-25/AR30PROP25-H TECHNICAL DATA SHEET (airless road marking

machine)

Dimensions: 146x64x h102 cm; Weight: 160 Kg



Photo doesn't show standard machine.

Gasoline engine:

-power 9,5 HP (AR30PROP-25) -- 8,5 HP engine HONDA GX270 (AR30PROP25-H)

-electric starting

Hand push. (It's possible to equip the line striper with HMC, the hydraulic motorized chariot. Look at optional)

Swivel front wheel. It can be locked or unlocked during the work by a lever on handlebars

Holder for paint bucket

Airless hydraulic piston pump:

-max. vol. flow 8,9 l/min



Removable paint gun: can be used as manual gun (for stenciling) or as automatic gun controlled by lever (for line). Standard nozzle for 10-20 cm line. (Line width can be ranged from 5 cm to 30 cm by changing nozzle and adjusting gun height)

Gun support with wheel: to follow the road

High-pressure paint filter

15 m paint hose

MAX. LINE WIDTH: 90 cm

(achievable only with proper optional equipment)

SPRAYABLE PRODUCTS: not refractive paints, specifically formulated for airless application

 ${\it Machine is equipped with all safety devices according to EU requirements. Machine conforms to:}\\$

EU Directive 2006/42/EC on Machinery



OPTIONAL EQUIPMENT:

- **HMC Hydraulic Motorized Chariot:** transforms the push machine in a machine with drive. Useful to increase productivity, to finish works quicker and easier, with less fatigue. Indispensable to mark on slopes. With seat. (Look at TDS of HMC motorized chariot)



- Second manual paint gun with kit of cocks, 5 m hose, support and <u>lever control</u>. It's needful for striping 50 cm line

- Gravity glass bead system consisting of:
 - gravity glass bead tank, capacity 24 I
 - bead dispenser. Available in following widths:
 - 1 dispenser for line width max 15 cm (adjustable for 12 and 15 cm)
 - 2 dispensers for 2 lines width max 15 cm (adjustable for 12 and 15 cm)
 - 1 dispenser for line width max 30 cm (adjustable for 12, 15, 20, 25 and 30 cm)
 - 1 cone with 1 skirt (available width 12 cm; 15 cm; 20 cm; 25 cm; 30 cm)
- **50 L paint hopper,** in polyethylene, with suction from bottom.



We suggest to complete the machine equipment with:

- nozzle for line width 5 cm
- nozzle for line width 30 cm
- nozzle for surfaces, advised for stenciling (crosswalk, symbols, legends, stops, ...).





